

Product datasheet for R1412F

Rabbit IgG (F(ab)2 specific adsorbed F(ab)2 Fragment) Goat Polyclonal Antibody

Product data:

Product Type:	Secondary Antibodies
Product Name:	Rabbit IgG (F(ab)2 specific adsorbed F(ab)2 Fragment) Goat Polyclonal Antibody
Recommended Dilution:	This product is designed for Immunofluorescence Microscopy, fluorescence based plate assays (FLISA) and fluorescent Western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. <u>Recommended Dilutions:</u> FLISA: 1/10,000-1/50,000. IF Microscopy: 1/1,000-1/5,000. Flow Cytometry: 1/500-1/2,500.
Reactivity:	Rabbit
Host:	Goat
Immunogen:	Rabbit IgG F(ab')2 fragment.
Formulation:	0.02M Potassium Phosphate, 0.15M Sodium Chloride, pH 7.2, containing 10 mg/ml BSA (IgG and Protease free) as stabilizer and 0.01% (w/v) Sodium Azide as preservative. Label: FITC State: Lyophilized F(ab')2 fragments. Label: Fluorescein isothiocyanate ; Molecular Weight 390 daltons) Absorption emission: 495 nm / 528 nm Molar ratio: 2.4 moles FITC per mole of IgG F(ab')2).
Reconstitution Method:	Restore with 0.5 ml of deionized water (or equivalent).
Concentration:	lot specific
Purification:	Immunoaffinity Chromatography.
Conjugation:	FITC
Storage:	Store vial at 2-8°C prior to restoration. For extended storage add glycerol to 50% and then aliquot contents and freeze at -20°C or below. Centrifuge product if not completely clear after standing at room temperature. This antibody is stable for one month at 2-8°C as an undiluted liquid. Dilute only prior to immediate use. Avoid repeated freezing and thawing.



[View online »](#)