

## Product datasheet for R1419P

### Rat IgG (H+L chain) F(ab')<sub>2</sub> Fragment Goat Polyclonal Antibody

#### Product data:

<b>Product Type:</b>	Secondary Antibodies
<b>Product Name:</b>	Rat IgG (H+L chain) F(ab') <sub>2</sub> Fragment Goat Polyclonal Antibody
<b>Recommended Dilution:</b>	Suitable for highly specific immunological methods requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. Recommended Dilutions: ELISA: 1/22,000 Western Blot: User optimized. Immunohistochemistry: User optimized.
<b>Reactivity:</b>	Rat
<b>Host:</b>	Goat
<b>Immunogen:</b>	Rat IgG whole molecule.
<b>Formulation:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 containing 0.01% (w/v) Sodium Azide as preservative State: Aff - Purified State: Liquid (sterile filtered) F(ab') <sub>2</sub> fragments.
<b>Concentration:</b>	lot specific
<b>Purification:</b>	Immunoaffinity chromatography.
<b>Conjugation:</b>	Unconjugated
<b>Storage:</b>	Store the antibody (undiluted) at 2-8°C for one month or (in aliquots) at -20°C for longer. Dilute only prior to immediate use. Avoid repeated freezing and thawing.



[View online »](#)