

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC200004L3

## Junctional Adhesion Molecule 1 (F11R) (NM\_144504) Human Tagged Lenti ORF Clone

### **Product data:**

| Product Type:                | Expression Plasmids  |
|------------------------------|--|
| Product Name:                | Junctional Adhesion Molecule 1 (F11R) (NM_144504) Human Tagged Lenti ORF Clone             |
| Tag:                         | Myc-DDK  |
| Symbol:                      | Junctional Adhesion Molecule 1   |
| Synonyms:                    | JAM, KAT, JAM1, JAMA, JCAM, CD321, JAM-1, JAM-A, PAM-1                                     |
| Mammalian Cell<br>Selection: | Puromycin  |
| Vector:                      | pLenti-C-Myc-DDK-P2A-Puro (PS100092)   |
| E. coli Selection:           | Chloramphenicol (34 ug/mL)   |
| ORF Nucleotide<br>Sequence:  | The ORF insert of this clone is exactly the same as(RC200004).                             |
| <b>Restriction Sites:</b>    | Sgfl-Mlul  |
| Cloning Scheme:              |  |
|                              | Cloning sites used for ORF Shuttling:  |
|                              | Sgf I         ORF         Mlu I            GCG ATC GC C         ATG // NNN         ACG CGT |




\* The last codon before the Stop codon of the ORF.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



### Plasmid Map:



| ACCN:                  | NM_144504  |
|------------------------|--|
| ORF Size:              | 897 bp   |
| OTI Disclaimer:        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>                                  |
| OTI Annotation:        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method: | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol> |
| RefSeq:                | <u>NM 144504.1, NP 653087.1</u>  |
| RefSeq Size:           | 3794 bp  |
| RefSeq ORF:            | 899 bp   |
|                        |  |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

|                  | Junctional Adhesion Molecule 1 (F11R) (NM_144504) Human Tagged Lenti ORF Clone –<br>RC200004L3   |
|------------------|--|
| Locus ID:        | 50848  |
| Cytogenetics:    | 1q23.3   |
| Domains:         | ig, IGv, IGc2, IG  |
| Protein Families | : Druggable Genome, Transmembrane  |
| Protein Pathwa   | <b>/s:</b> Cell adhesion molecules (CAMs), Epithelial cell signaling in Helicobacter pylori infection,<br>Leukocyte transendothelial migration, Tight junction   |
| MW:              | 32.6 kDa   |
| Gene Summary     | Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell<br>sheets, forming continuous seals around cells and serving as a physical barrier to prevent<br>solutes and water from passing freely through the paracellular space. The protein encoded by<br>this immunoglobulin superfamily gene member is an important regulator of tight junction<br>assembly in epithelia. In addition, the encoded protein can act as (1) a receptor for reovirus,<br>(2) a ligand for the integrin LFA1, involved in leukocyte transmigration, and (3) a platelet<br>receptor. Multiple 5' alternatively spliced variants, encoding the same protein, have been<br>identified but their biological validity has not been established. [provided by RefSeq, Jul 2008] |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US