

## Product datasheet for RC200057L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PPIL2 (NM 014337) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** PPIL2 (NM\_014337) Human Tagged ORF Clone Lentiviral Particle

Symbol:

CYC4; Cyp-60; CYP60; hCyP-60; UBOX7 Synonyms:

**Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 014337

**ORF Size:** 1560 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC200057).

Sequence:

ACCN:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 014337.3

RefSeq Size: 4128 bp RefSeq ORF: 1563 bp Locus ID: 23759 **UniProt ID:** Q13356 Cytogenetics: 22q11.21

**Domains:** pro\_isomerase, U-box

**Protein Families:** Druggable Genome





## PPIL2 (NM\_014337) Human Tagged ORF Clone Lentiviral Particle - RC200057L3V

**Protein Pathways:** Ubiquitin mediated proteolysis

**MW:** 58.8 kDa

**Gene Summary:** This gene is a member of the cyclophilin family of peptidylprolyl isomerases. The cyclophilins

are a highly conserved ubiquitous family, members of which play an important role in protein folding, immunosuppression by cyclosporin A, and infection of HIV-1 virions. This protein interacts with the proteinase inhibitor eglin c and is localized in the nucleus. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Dec 2015]