

Product datasheet for **RC200064**

ITGB3BP (NM_014288) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: ITGB3BP (NM_014288) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: ITGB3BP
Synonyms: CENP-R; CENPR; HSU37139; NRIF3; TAP20
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC200064 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCCTGTAAAAGATCACTGAAGTTGGATGGTCTGTTAGAAGAAAATTCATTTGATCCTTCAAAAATCA
 CAAGGAAGAAAAGTGTATACTTATTCTCCAACACTGGAACCTGTCAAATGAGTCTATTTGCTTCTCC
 CACAAGTTCTGAAGAGCAAAAGCACAGAAATGGACTATCAAATGAAAAGAGAAAAAATGAATCACCCC
 AGTTTAACTGAAAGCAAAGAATCTACAACAAAAGACAATGATGAATTCATGATGTTGCTATCAAAAGTTG
 AGAAATTGTCAGAAGAAATCATGGAGATAATGCAAAATTTAAGTAGTATACAGGCTTTGGAGGGCAGTAG
 AGAGCTTGAAAATCTCATTGGAATCTCCTGTGCATCACATTTCTTAAAAAGAGAAATGCAGAAAACCAAA
 GAACTAATGACAAAAGTGAATAACAAAACCTGTTGAAAAGAGTACAGGACTTCCTCACAAAGCATCAC
 GTCATCTTGACAGCTATGAATTCCTTAAAGCCATTTTAAAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC200064 protein sequence
 Red=Cloning site Green=Tags(s)

MPVKRSLKLDGLLENSFDPSKITRKSVITYSPTTGTCQMSLFASPTSSSEQKHRNGLSNEKRKKLNHP
 SLTESKESTTKDNDFMMLLSKVEKLSEEIMEIMQNLSSIQALEGSRELENLIGISCASHFLKREMOKTK
 ELMTKVNKQKLFKSTGLPHKASRHLDSEYFLKAILN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/mk6052_b10.zip



[View online »](#)

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_014288

ORF Size: 531 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_014288.5](#)

RefSeq Size: 1019 bp


RefSeq ORF: 534 bp

Locus ID:	23421
UniProt ID:	Q13352
Cytogenetics:	1p31.3
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transcription Factors
MW:	20.2 kDa
Gene Summary:	This gene encodes a transcriptional coregulator that binds to and enhances the activity of members of the nuclear receptor families, thyroid hormone receptors and retinoid X receptors. This protein also acts as a corepressor of NF-kappaB-dependent signaling. This protein induces apoptosis in breast cancer cells through a caspase 2-mediated signaling pathway. This protein is also a component of the centromere-specific histone H3 variant nucleosome associated complex (CENP-NAC) and may be involved in mitotic progression by recruiting the histone H3 variant CENP-A to the centromere. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2011]


Product images:




Circular map for RC200064



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ITGB3BP (Cat# RC200064, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ITGB3BP (Cat# [TA803458]). Positive lysates [LY402304] (100ug) and [LC402304] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY402304]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200064 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified ITGB3BP protein (Cat# [TP300064]). The protein was produced from HEK293T cells transfected with ITGB3BP cDNA clone (Cat# RC200064) using MegaTran 2.0 (Cat# [TT210002]).