

Product datasheet for RC200235L3

PDCD10 (NM_007217) Human Tagged Lenti ORF Clone

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product data:

Product Type: Expression Plasmids

Product Name: PDCD10 (NM_007217) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PDCD10

Synonyms: CCM3; TFAR15

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200235).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_007217

ORF Size: 636 bp





PDCD10 (NM_007217) Human Tagged Lenti ORF Clone - RC200235L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 007217.3</u>

RefSeq Size: 1454 bp RefSeq ORF: 639 bp

Locus ID: 11235

UniProt ID: Q9BUL8

Cytogenetics:

Protein Families: Druggable Genome

3q26.1

MW: 24.7 kDa

Gene Summary: This gene encodes an evolutionarily conserved protein associated with cell apoptosis. The

protein interacts with the serine/threonine protein kinase MST4 to modulate the extracellular signal-regulated kinase (ERK) pathway. It also interacts with and is phosphoryated by

serine/threonine kinase 25, and is thought to function in a signaling pathway essential for


vascular developent. Mutations in this gene are one cause of cerebral cavernous malformations, which are vascular malformations that cause seizures and cerebral

hemorrhages. Multiple alternatively spliced variants, encoding the same protein, have been

identified. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC200235L3