

Product datasheet for RC200286L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Nectin 2 (NECTIN2) (NM 002856) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Nectin 2 (NECTIN2) (NM_002856) Human Tagged ORF Clone Lentiviral Particle

Symbol: NECTIN2

Synonyms: CD112; HVEB; PRR2; PVRL2; PVRR2

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_002856

 ORF Size:
 1437 bp

ORF Nucleotide

1437 bp

Sequence:

The ORF insert of this clone is exactly the same as(RC200286).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 002856.1</u>

 RefSeq Size:
 2166 bp

 RefSeq ORF:
 1440 bp

 Locus ID:
 5819

 UniProt ID:
 Q92692

Cytogenetics: 19q13.32 Domains: ig, IGv, IG

Protein Families: Druggable Genome, Transmembrane





Protein Pathways: Adherens junction, Cell adhesion molecules (CAMs)

MW: 51.4 kDa

Gene Summary: This gene encodes a single-pass type I membrane glycoprotein with two Ig-like C2-type

domains and an Ig-like V-type domain. This protein is one of the plasma membrane components of adherens junctions. It also serves as an entry for certain mutant strains of herpes simplex virus and pseudorabies virus, and it is involved in cell to cell spreading of these viruses. Variations in this gene have been associated with differences in the severity of multiple sclerosis. Alternate transcriptional splice variants, encoding different isoforms, have

been characterized. [provided by RefSeq, Jul 2008]