

Product datasheet for RC200343L1

UXT (NM_004182) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UXT (NM_004182) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: UXT

Synonyms: ART-27; STAP1

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200343).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_004182

ORF Size: 471 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Domains:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 004182.2</u>

RefSeq Size: 619 bp
RefSeq ORF: 474 bp
Locus ID: 8409
UniProt ID: Q9UBK9
Cytogenetics: Xp11.23

Protein Families: Druggable Genome

MW: 18.2 kDa

Gene Summary: The protein encoded by this gene functions as a cofactor that modulates androgen receptor-


dependent transcription, and also plays a critical role in tumor necrosis factor-induced apoptosis. Expression of this gene may play a role in tumorigenesis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by

RefSeq, Nov 2011]

DUF232



Product images:



Circular map for RC200343L1