

## Product datasheet for RC200347L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Syntaxin 4 (STX4) (NM\_004604) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Syntaxin 4 (STX4) (NM\_004604) Human Tagged ORF Clone Lentiviral Particle

Symbol: STX4

**Synonyms:** p35-2; STX4A

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM\_004604

ORF Size: 891 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC200347).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 004604.3

 RefSeq Size:
 1494 bp

 RefSeq ORF:
 894 bp

 Locus ID:
 6810

 UniProt ID:
 Q12846

 Cytogenetics:
 16p11.2

**Domains:** t\_SNARE, SynN

**Protein Families:** Druggable Genome, Transmembrane





## Syntaxin 4 (STX4) (NM\_004604) Human Tagged ORF Clone Lentiviral Particle - RC200347L4V

**Protein Pathways:** SNARE interactions in vesicular transport

MW: 34.2 kDa

**Gene Summary:** Plasma membrane t-SNARE that mediates docking of transport vesicles. Necessary for the

translocation of SLC2A4 from intracellular vesicles to the plasma membrane. Together with STXB3 and VAMP2, may also play a role in docking/fusion of intracellular GLUT4-containing vesicles with the cell surface in adipocytes (By similarity). May also play a role in docking of

synaptic vesicles at presynaptic active zones.[UniProtKB/Swiss-Prot Function]