

Product datasheet for RC200373L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cathepsin H (CTSH) (NM_004390) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Cathepsin H (CTSH) (NM_004390) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Cathepsin H

Synonyms: ACC-4; ACC-5; ACC4; ACC5; CPSB

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200373).

Sequence:

Restriction Sites: Ascl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_004390

ORF Size: 1005 bp





Cathepsin H (CTSH) (NM_004390) Human Tagged Lenti ORF Clone - RC200373L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004390.2</u>

 RefSeq Size:
 1494 bp

 RefSeq ORF:
 1008 bp

 Locus ID:
 1512

 UniProt ID:
 P09668

Cytogenetics: 15q25.1

Domains: Pept C1

Protein Families: Druggable Genome, Protease

Protein Pathways: Lysosome MW: 37.4 kDa


Gene Summary: The protein encoded by this gene is a lysosomal cysteine proteinase important in the overall

degradation of lysosomal proteins. It is composed of a dimer of disulfide-linked heavy and light chains, both produced from a single protein precursor. The encoded protein, which belongs to the peptidase C1 protein family, can act both as an aminopeptidase and as an endopeptidase. Increased expression of this gene has been correlated with malignant progression of prostate tumors. Alternate splicing of this gene results in multiple transcript

variants encoding different isoforms. [provided by RefSeq, Jan 2016]



Product images:



Circular map for RC200373L1