

Product datasheet for RC200373L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cathepsin H (CTSH) (NM 004390) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Cathepsin H (CTSH) (NM_004390) Human Tagged ORF Clone Lentiviral Particle

Symbol: Cathepsin H

Synonyms: ACC-4; ACC-5; ACC4; ACC5; CPSB

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_004390

ORF Size: 1005 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC200373).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 004390.2

 RefSeq Size:
 1494 bp

 RefSeq ORF:
 1008 bp

 Locus ID:
 1512

 UniProt ID:
 P09668

 Cytogenetics:
 15q25.1

Domains: Pept_C1

Protein Families: Druggable Genome, Protease





Protein Pathways: Lysosome

MW: 37.4 kDa

Gene Summary: The protein encoded by this gene is a lysosomal cysteine proteinase important in the overall

degradation of lysosomal proteins. It is composed of a dimer of disulfide-linked heavy and light chains, both produced from a single protein precursor. The encoded protein, which belongs to the peptidase C1 protein family, can act both as an aminopeptidase and as an endopeptidase. Increased expression of this gene has been correlated with malignant progression of prostate tumors. Alternate splicing of this gene results in multiple transcript

variants encoding different isoforms. [provided by RefSeq, Jan 2016]