

Product datasheet for RC200404L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Ezrin (EZR) (NM_003379) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Ezrin (EZR) (NM_003379) Human Tagged ORF Clone Lentiviral Particle

Symbol: EZR

Synonyms: CVIL; CVL; HEL-S-105; VIL2

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_003379 **ORF Size:** 1758 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC200404).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 003379.3</u>

 RefSeq Size:
 3172 bp

 RefSeq ORF:
 1761 bp

 Locus ID:
 7430

 UniProt ID:
 P15311

 Cytogenetics:
 6q25.3

 Domains:
 B41, ERM

Protein Families: Druggable Genome





Ezrin (EZR) (NM_003379) Human Tagged ORF Clone Lentiviral Particle - RC200404L2V

Protein Pathways: Leukocyte transendothelial migration, Pathogenic Escherichia coli infection, Regulation of

actin cytoskeleton

MW: 69.4 kDa

Gene Summary: The cytoplasmic peripheral membrane protein encoded by this gene functions as a protein-

tyrosine kinase substrate in microvilli. As a member of the ERM protein family, this protein serves as an intermediate between the plasma membrane and the actin cytoskeleton. This protein plays a key role in cell surface structure adhesion, migration and organization, and it has been implicated in various human cancers. A pseudogene located on chromosome 3 has been identified for this gene. Alternatively spliced variants have also been described for this

gene. [provided by RefSeq, Jul 2008]