

Product datasheet for RC200415L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Sorbitol Dehydrogenase (SORD) (NM_003104) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Sorbitol Dehydrogenase (SORD) (NM_003104) Human Tagged ORF Clone Lentiviral Particle

Symbol:

HEL-S-95n; RDH; SDH; SORD1; SORDD; XDH Synonyms:

Mammalian Cell

Selection:

None

Vector:

pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 003104 ACCN:

ORF Size: 1071 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC200415).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 003104.3, NP 003095.1

RefSeq Size: 2813 bp RefSeq ORF: 1074 bp Locus ID: 6652 **UniProt ID:** Q00796 Cytogenetics: 15q21.1

Domains:

ADH_zinc_N

Protein Families: Druggable Genome





Sorbitol Dehydrogenase (SORD) (NM_003104) Human Tagged ORF Clone Lentiviral Particle – RC200415L1V

Protein Pathways: Fructose and mannose metabolism, Metabolic pathways

MW: 38.3 kDa

Gene Summary: Sorbitol dehydrogenase (SORD; EC 1.1.1.14) catalyzes the interconversion of polyols and their

corresponding ketoses, and together with aldose reductase (ALDR1; MIM 103880), makes up the sorbitol pathway that is believed to play an important role in the development of diabetic

complications (summarized by Carr and Markham, 1995 [PubMed 8535074]). The first

reaction of the pathway (also called the polyol pathway) is the reduction of glucose to sorbitol by ALDR1 with NADPH as the cofactor. SORD then oxidizes the sorbitol to fructose using

NAD(+) cofactor.[supplied by OMIM, Jul 2010]