

Product datasheet for **RC200454**

MATK (NM_139354) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MATK (NM_139354) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MATK
Synonyms:	CHK; CTK; HHYLTk; HYL; HYLTk; Lsk
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC200454 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGGGGCGAGGCTCTCTGGTTTCTGGCGGGCATTTCACGGCTGTGATTCTGCTGAGGAACTCCCC
 GGGTGAGCCCCCTTCCCGAGCCTGGCACCCCTCCCGTCTCAGCCAGGATGCCAACGAGGCGCTG
 GGCCCCGGGCACCCAGTGTATCACCAAATGCGAGCACACCCGCCCAAGCCAGGGGAGCTGGCCTCCGC
 AAGGGCGACGTGGTCACCATCTGGAGGCTGCGAGAACAAGAGCTGGTACCGCGTCAAGCACACACCA
 GTGGACAGGAGGGGCTGCTGGCAGCTGGGGCGCTGCGGGAGCGGGAGGCCCTCTCCGAGACCCCAAGCT
 CAGCCTCATGCCGTGGTCCACGGGAAGATCTCGGGCCAGGAGGCTGTCCAGCAGCTGCAGCCTCCGAG
 GATGGGCTGTTCTGGTGGGAGTCCGCGGCCACCCCGGCGACTACGTCTGTGCGTGAGCTTTGGCC
 GCGACGTCATCCACTACCGGTGCTGCACCGCGACGGCCACCTCACAAATCGATGAGGCCGTGTTCTTCTG
 CAACCTCATGGACATGGTGGAGCATTACAGCAAGGACAAGGGCGCTATCTGCACCAAGCTGGTGAGACCA
 AAGCGGAAACACGGGACCAAGTCGGCCGAGGAGGAGCTGGCCAGGGCGGGCTGGTACTGAACCTGCAGC
 ATTTGACATTGGGAGCACAGATCGGAGAGGGAGAGTTGGAGCTGTCTGCAGGGTGAGTACCTGGGGCA
 AAAGGTGGCCGTGAAGAATATCAAGTGTGATGTGACAGCCAGGCCTTCTGGACGAGACGGCCGTGATG
 ACGAAGATGCAACACGAGAACCTGGTGCCTCTCTGGCGTGATCCTGCACAGGGGCTGTACATTGTCA
 TGGAGCACGTGAGCAAGGGCAACCTGGTGAACCTTCTGCGGACCCGGGGTTCGAGCCCTCGTGAACCCGC
 TCAGCTCCTGCAGTTTCTGTCACGTGGCCGAGGGCATGGAGTACCTGGAGAGCAAGAAGCTTGTGCAC
 CCGACCTGGCCGCCCAACATCTGGTCTCAGAGGACCTGGTGCCAAGGTGAGCAGCTTTGGCCTGG
 CCAAAGCGAGCGGAAGGGGCTAGACTCAAGCCGGTCCCGTCAAGTGGACGGCCCGAGGCTCTCAA
 ACACGGGAAGTTACACGCAAGTCGGATGTCTGGAGTTTGGGGTGTGCTCTGGGAGGTCTTCTCATAT
 GGACGGGCTCCGTACCCTAAAATGTCACCTGAAAGAGGTGTCGGAGGCCGTGGAGAAGGGGTACCGCATGG
 AACCCCCGAGGGCTGTCCAGGCCCGTGCACGTCTCATGAGCAGCTGTGGGAGGAGAGCCCGCCCG
 CCGGCCACCTTCCGCAAACTGGCCGAGAAGCTGGCCGGGAGCTACGCAGTGCAGGTGCCCCAGCCTCC
 GTCTCAGGGCAGGACGCCGACGGCTCCACCTCGCCCCGAAGCCAGGAGCCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC200454 protein sequence
 Red=Cloning site Green=Tags(s)

MAGRGSLSWRAFHGCDSEELPRVSPRFLRAWHPPPVSARMPTRRWAPGTQCITKCEHTRPKPELAFR
 KGDVVITILEACENKSWYRVKHHSTSGQEGLLAAGALREREAL SADPKLSLMPWFHGKISGQEAQQLPPE
 DGLFLVRESARHPGDYVLCVSFGRDVIHYRVLHRDGHLLTIDEAVFFCNLMDMVEHYSKDKGAICTKLVRP
 KRKHGTKSAEEELARAGWLLNLQHLTLGAQIGEGEF GAVLQGEYLGQKVAVKNIKCDVTAQAFLETAVM
 TKMQHENLVRLLGVILHQGLYIVMEHVS KGNLVNFLRTRGRALVNTAQLLQFSLHVAEGMEYLESKLVH
 RDLAARNILVSEDLVAKVSDFGLAKAERKGLDSSRLPVKWTAPEALKHGKFTSKSDVWSFGVLLWEVFSY
 GRAPYPKMSLKEVSEAVEKGYRMEPPEGCPGPVHVLMSSEWEAEPARRPPFRKLAELKRELSAGAPAS
 VSGQDADGSTSPRSQEP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6388_d05.zip

Restriction Sites:

Sgfl-MluI

Cloning Scheme:


ACCN: NM_139354

ORF Size: 1521 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq Size: 1940 bp

RefSeq ORF: 1401 bp

Locus ID: 4145

UniProt ID: [P42679](#)


Cytogenetics: 19p13.3

Protein Families: Druggable Genome, Protein Kinase, Stem cell - Pluripotency


MW: 56.5 kDa

Gene Summary: The protein encoded by this gene has amino acid sequence similarity to Csk tyrosine kinase and has the structural features of the CSK subfamily: SRC homology SH2 and SH3 domains, a catalytic domain, a unique N terminus, lack of myristylation signals, lack of a negative regulatory phosphorylation site, and lack of an autophosphorylation site. This protein is thought to play a significant role in the signal transduction of hematopoietic cells. It is able to phosphorylate and inactivate Src family kinases, and may play an inhibitory role in the control of T-cell proliferation. This protein might be involved in signaling in some cases of breast cancer. Three alternatively spliced transcript variants that encode different isoforms have been described for this gene. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC200454



Western blot validation of overexpression lysate (Cat# [LY408299]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200454 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified MATK protein (Cat# [TP300454]). The protein was produced from HEK293T cells transfected with MATK cDNA clone (Cat# RC200454) using MegaTran 2.0 (Cat# [TT210002]).