

Product datasheet for RC200457L2

CD82 (NM_002231) Human Tagged Lenti ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Expression Plasmids
CD82 (NM_002231) Human Tagged Lenti ORF Clone
mGFP
CD82
4F9; C33; GR15; IA4; KAI1; R2; SAR2; ST6; TSPAN27
None
pLenti-C-mGFP (PS100071)
Chloramphenicol (34 ug/mL)
The ORF insert of this clone is exactly the same as(RC200457).
Sgfl-Mlul
Cloning sites used for ORF Shuttling:
Sgf I ORF Mlu I GCG ATC GC ATG // NNÑ ACG CGT



ACCN: ORF Size: NM_002231 801 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


ORIGENE CD82	(NM_002231) Human Tagged Lenti ORF Clone – RC200457L2
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 002231.3</u>
RefSeq Size:	1715 bp
RefSeq ORF:	804 bp
Locus ID:	3732
UniProt ID:	<u>P27701</u>
Cytogenetics:	11p11.2
Domains:	transmembrane4
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	p53 signaling pathway
MW:	29.4 kDa
Gene Summary:	This metastasis suppressor gene product is a membrane glycoprotein that is a member of the transmembrane 4 superfamily. Expression of this gene has been shown to be downregulated in tumor progression of human cancers and can be activated by p53 through a consensus binding sequence in the promoter. Its expression and that of p53 are strongly correlated, and the loss of expression of these two proteins is associated with poor survival

for prostate cancer patients. Two alternatively spliced transcript variants encoding distinct

isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for RC200457L2

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US