

Product datasheet for RC200463L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Heme Oxygenase 1 (HMOX1) (NM_002133) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Heme Oxygenase 1 (HMOX1) (NM_002133) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Heme Oxygenase 1

Synonyms: bK286B10; HMOX1D; HO-1; HSP32

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC200463).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_002133

ORF Size: 864 bp



Heme Oxygenase 1 (HMOX1) (NM_002133) Human Tagged Lenti ORF Clone - RC200463L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002133.1</u>

 RefSeq Size:
 1606 bp

 RefSeq ORF:
 867 bp

 Locus ID:
 3162

 UniProt ID:
 P09601

Cytogenetics: 22q12.3

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Porphyrin and chlorophyll metabolism

Heme oxygenase

MW: 32.8 kDa

Domains:


Gene Summary: Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin,

which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme

oxygenase family. [provided by RefSeq, Jul 2008]



Product images:



Double digestion of RC200463L3 using Sgfl and Mlul $\,$