

## Product datasheet for **RC200469**

### GRB2 (NM\_002086) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	GRB2 (NM_002086) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	GRB2
Synonyms:	ASH; EGFRBP-GRB2; Grb3-3; MST084; MSTP084; NCKAP2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC200469 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAAGCCATCGCCAAATATGACTTCAAAGCTACTGCAGACGACGAGCTGAGCTTCAAAGGGGGGACA  
TCCTCAAGGTTTTGAACGAAGAATGTGATCAGAAGTGGTACAAGGCAGAGCTTAATGGAAAAGACGGCTT  
CATTCCCAAGAACTACATAGAAATGAAACCACATCCGTGGTTTTTTGGCAAATCCCCAGAGCCAAGGCA  
GAAGAAATGCTTAGCAAACAGCGGCACGATGGGGCCTTTCTTATCCGAGAGAGTGAGAGCGCTCCTGGGG  
ACTTCTCCCTCTCTGTCAAGTTTGGAAACGATGTGCAGCACTTCAAGGTGCTCCGAGATGGAGCCGGGAA  
GTACTTCTCTGGTGGTGAAGTTCAATTTTGAATGAGCTGGTGGATTATCACAGATCTACATCTGTC  
TCCAGAAACCAGCAGATATTCCTGCGGGACATAGAACAGGTGCCACAGCAGCCGACATACGTCCAGGCC  
TCTTTGACTTTGATCCCCAGGAGGATGGAGAGCTGGGCTTCCGCCGGGGAGATTTTATCCATGTCATGGA  
TAACTCAGACCCCAACTGGTGGAAAGGAGCTTGCCACGGGCAGACCGGCATGTTTCCCCGAATTATGTC  
ACCCCGTGAACCGAACGTC

**ACGCGT**ACGCGGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC200469 protein sequence  
 Red=Cloning site Green=Tags(s)

MEAIKYDFKATADDELSFKRGDILKVLNEECDQNWYKAELNGKDGFIKPNYIEMKPHPWFFGKIPRAKA  
 EEMLSKQRHDGAFLIRESESAPGDFSLSVKFGNDVQHFKVLRDGAGKYFLVWVKFNSLNELVDYHRSTSV  
 SRNQIIFLRDIEQVPQQPTYVQALFDFDPQEDGELGFRRGDFIHVMDNSDPNWWKAGACHGQTGMFPRNYV  
 TPVNRNV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6034\\_e10.zip](https://cdn.origene.com/chromatograms/mk6034_e10.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_002086

**ORF Size:** 651 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_002086.5</a>
<b>RefSeq Size:</b>	3303 bp
<b>RefSeq ORF:</b>	654 bp
<b>Locus ID:</b>	2885
<b>UniProt ID:</b>	<a href="#">P62993</a>
<b>Cytogenetics:</b>	17q25.1
<b>Domains:</b>	SH2, SH3
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Acute myeloid leukemia, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Prostate cancer, Renal cell carcinoma, T cell receptor signaling pathway
<b>MW:</b>	25.2 kDa
<b>Gene Summary:</b>	The protein encoded by this gene binds the epidermal growth factor receptor and contains one SH2 domain and two SH3 domains. Its two SH3 domains direct complex formation with proline-rich regions of other proteins, and its SH2 domain binds tyrosine phosphorylated sequences. This gene is similar to the Sem5 gene of C.elegans, which is involved in the signal transduction pathway. Two alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC200469



Western blot validation of overexpression lysate (Cat# [LY400765]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200469 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified GRB2 protein (Cat# [TP300469]). The protein was produced from HEK293T cells transfected with GRB2 cDNA clone (Cat# RC200469) using MegaTran 2.0 (Cat# [TT210002]).