

Product datasheet for RC200546

BIK (NM_001197) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	BIK (NM_001197) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BIK
Synonyms:	BIR BIP1; BP4; NBK
Mammalian Cell	
Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC200546 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGTCTGAAGTAAGACCCCTCTCCAGAGACATCTTGATGGAGACCCTCCTGTATGAGCAGCTCCTGGAAC CCCCGACCATGGAGGTTCTTGGCATGACTGACTGACTCGAAGAGGACCTGGACCCTATGGAGGACGTCCGATTC TTTGGAATGCATGGAGGGCAGTGACGCATTGGCCCTGCGGCCTGGCCTGCATCGGGGACGAGATGGACGTG AGCCTCAGGGCCCCGCGCCTGGCCCAGCTCTCCGAGGTGGCCATGCACAGCCTGGGTCTGGCTTTCATCT ACGACCAGACTGAGGACATCAGGGATGTTCTTAGAAGTTTCATGGACGGTTTCACCACACTTAAGGAGAA CATAATGAGGTTCTGGAGATCCCCGAACCCCGGGTCCTGGGTGTCCTGCGAACAGGTGCTGCTGCGCGCTG CTGCTGCTGCTGCCGCTGCTGCCGCTGCTCAGCGGGGGCCTGCACCTGCTCCAAG
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	<pre>>RC200546 protein sequence Red=Cloning site Green=Tags(s)</pre>
	MSEVRPLSRDILMETLLYEQLLEPPTMEVLGMTDSEEDLDPMEDFDSLECMEGSDALALRLACIGDEMDV SLRAPRLAQLSEVAMHSLGLAFIYDQTEDIRDVLRSFMDGFTTLKENIMRFWRSPNPGSWVSCEQVLLAL LLLLALLLPLLSGGLHLLLK
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6082_e10.zip



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


BIK (NM_001197) Human Tagged ORF Clone – RC200546

	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling: Sgf1 ORF Miu I GCGATCGC C ATG// NIXI ACG CGT
	$\begin{array}{c} Kozac \\ Consensus \\ \hline Consensus \\ Sgf1 \\ \hline CTATAGGGGGGGGGGGGAATTCGTCGGATCGGGTACGAGGAGGATCTGGCGCGGGGGGGG$
	EcoR V Flag.Tag Pme i Fse i GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGCCCGGCC D L A N D I L D Y K D D D K V stopp
	* The last codon before the Stop codon of the ORF
CCN:	NM_001197
RF Size:	480 bp
TI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
TI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
omponents:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
econstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
lote:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
efSeq:	<u>NM 001197.5</u>
nocq.	
efSeq Size:	966 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	BIK (NM_001197) Human Tagged ORF Clone – RC200546
Locus ID:	638
UniProt ID:	<u>Q13323</u>
Cytogenetics:	22q13.2
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transmembrane
MW:	18 kDa
Gene Summary:	The protein encoded by this gene shares a critical BH3 domain with other death-promoting proteins, such as BID, BAK, BAD and BAX, that is required for its pro-apoptotic activity, and for interaction with anti-apoptotic members of the BCL2 family, and viral survival-promoting proteins. Since the activity of this protein is suppressed in the presence of survival-promoting proteins, it is suggested as a likely target for anti-apoptotic proteins. [provided by RefSeq, Sep 2011]

Product images:



Circular map for RC200546

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US