

Product datasheet for RC200559

HOXA9 (NM_152739) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HOXA9 (NM_152739) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: HOXA9

Synonyms: ABD-B; HOX1; HOX1.7; HOX1G

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC200559 representing NM_152739.
Sequence: Blue=ORF Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

CAGGATGAAAATGAAGAAAATCAACAAAGACCGAGCAAAAGACGAGTGA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



>Peptide sequence encoded by RC200559 **Protein Sequence:**

Blue=ORF Red=Cloning site Green=Tag(s)

MATTGALGNYYVDSFLLGADAADELSVGRYAPGTLGQPPRQAATLAEHPDFSPCSFQSKATVFGASWNPV HAAGANAVPAAVYHHHHHHPYVHPQAPVAAAAPDGRYMRSWLEPTPGALSFAGLPSSRPYGIKPEPLSAR RGDCPTLDTHTLSLTDYACGSPPVDREKOPSEGAFSENNAENESGGDKPPIDPNNPAANWLHARSTRKKR CPYTKHQTLELEKEFLFNMYLTRDRRYEVARLLNLTERQVKIWFQNRRMKMKKINKDRAKDE


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Recombinant protein using RC200559 also available, TP300559

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_152739

ORF Size: 816 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

HOXA9 (NM_152739) Human Tagged ORF Clone - RC200559

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 152739.4</u>

 RefSeq Size:
 2076 bp

 RefSeq ORF:
 819 bp

 Locus ID:
 3205

 UniProt ID:
 P31269

 Cytogenetics:
 7p15.2

MW: 30 kDa


Gene Summary: In vertebrates, the genes encoding the class of transcription factors called homeobox genes

are found in clusters named A, B, C, and D on four separate chromosomes. Expression of these proteins is spatially and temporally regulated during embryonic development. This gene is part of the A cluster on chromosome 7 and encodes a DNA-binding transcription factor which may regulate gene expression, morphogenesis, and differentiation. This gene is highly similar to the abdominal-B (Abd-B) gene of Drosophila. A specific translocation event which causes a fusion between this gene and the NUP98 gene has been associated with myeloid leukemogenesis. Read-through transcription exists between this gene and the


upstream homeobox A10 (HOXA10) gene.[provided by RefSeq, Mar 2011]



Product images:




Circular map for RC200559



Western validation with an anti-DDK antibody * L: Control HEK293 lysate R: Over-expression lysate





Coomassie blue staining of purified HOXA9 protein (Cat# [TP300559]). The protein was produced from HEK293T cells transfected with HOXA9 cDNA clone (Cat# RC200559) using MegaTran 2.0 (Cat# [TT210002]).