

Product datasheet for RC200587L3

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

RAMP1 (NM_005855) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RAMP1 (NM_005855) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: RAMP1

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC200587).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_005855

ORF Size: 444 bp

RAMP1 (NM_005855) Human Tagged Lenti ORF Clone - RC200587L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005855.2</u>

 RefSeq Size:
 922 bp

 RefSeq ORF:
 447 bp

 Locus ID:
 10267

 UniProt ID:
 060894

Cytogenetics: 2q37.3

Domains: RAMP

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Vascular smooth muscle contraction

MW: 17 kDa

Gene Summary: The protein encoded by this gene is a member of the RAMP family of single-transmembrane-


domain proteins, called receptor (calcitonin) activity modifying proteins (RAMPs). RAMPs are type I transmembrane proteins with an extracellular N terminus and a cytoplasmic C terminus. RAMPs are required to transport calcitonin-receptor-like receptor (CRLR) to the plasma membrane. CRLR, a receptor with seven transmembrane domains, can function as either a calcitonin-gene-related peptide (CGRP) receptor or an adrenomedullin receptor, depending on which members of the RAMP family are expressed. In the presence of this (RAMP1) protein, CRLR functions as a CGRP receptor. The RAMP1 protein is involved in the terminal glycosylation, maturation, and presentation of the CGRP receptor to the cell surface.

Alternative splicing results in multiple transcript variants encoding different isoforms.


[provided by RefSeq, Apr 2015]



Product images:



Circular map for RC200587L3



Double digestion of RC200587L3 using Sgfl and Miul