

Product datasheet for **RC200594**

NMT1 (NM_021079) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NMT1 (NM_021079) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NMT1
Synonyms:	NMT
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC200594 representing NM_021079
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCGGACGAGAGTGAGACAGCAGTGAAGCCGCCGACCTCCGCTGCCGAGATGATGGAAGGGAACG
 GGAACGGCCATGAGCACTGCAGCGATTGCGAGAATGAGGAGGACAAACAGCTACAACCGGGTGGTTTGAG
 TCCAGCCAATGACTGAGCCAAAAAGAAAGAAAAAGAAAAAGAAAGAAAAAGGCAAGTGAAG
 ACAGATTCAGCCAGGATCAGCCTGTGAAGATGAACTCTTTGCCAGCAGAGAGGATCCAGGAAATACAGA
 AGGCCATTGAGCTGTTCTCAGTGGGTGAGGACCTGCCAAAACCATGGAGGAGGCTAGCAAGCGAAGCTA
 CCAGTTCTGGGATACGCAGCCCGTCCCCAAGCTGGGCGAAGTGGTGAACACCCATGGCCCGTGGAGCCT
 GACAAGGACAATATCCGCCAGGAGCCCTACACCCTGCCAGGGCTTACCTGGGATGCTTTGGACCTGG
 GCGATCGTGGTGTGCTAAAAGAAGTGTACACCCTCCTGAATGAGAAGTATGTGGAAGATGATGACAACAT
 GTTCCGATTTGATTATCCCGGAGTTTCTTTTGTGGCTCTCCGCCACCCGGTGGCTCCCCAGTGG
 CACTGTGGGGTTCGAGTGGTCTCAAGTCGGAATTTGGTTGGGTTCAATAGCGCCATCCAGCAAACATCC
 ATATCTATGACACAGAGAAGAAGATGGTAGAGATCAACTTCTGTGTGTCCACAAGAAGTGCCTCCAA
 GAGGGTTGCTCCAGTTCTGATCCGAGAGATCACCAGGCGGGTTCACCTGGAGGGCATCTTCCAAGCAGTT
 TACTGCGCGGGTGGTACTACCAAAGCCGTTGGCACCTGCAGGATTGGCATCGGTCCCTAAACCCAC
 GGAAGCTGATTGAAGTGAAGTCTCCACCTGAGCAGAAATATGACCATGCAGCGCACCATGAAGCTCTA
 CCGACTGCCAGAGACTCCAAGACAGCTGGGCTGCGACCAATGGAACAAAGGACATTCCAGTAGTGCAC
 CAGCTCCTCACCAGTACTTGAAGCAATTCACCTTACGCCCGTTCATGAGCCAGGAGGAGGTGGAGCACT
 GGTCTACCCCGAGGAGAAATCATCGACACTTTCGTGGTGGAGAACGAAACGGAGAGGTGACAGATTT
 CCTGAGCTTTTATACGCTGCCCTCCACCATCATGAACCATCCAACCCACAAGAGTCTCAAAGCTGCTTAT
 TCTTTCTACAACGTTACACCCAGACCCCTCTTCTAGACCTCATGAGCGACGCCCTTGTCTCGCCAAAA
 TGAAAGGGTTTGTGTGTTCAATGCACTGGATCTCATGGAGAACAAAACCTTCTGGAGAAGCTCAAGTT
 TGGCATAGGGGACGGCAACCTGCAGTATTACCTTTACAATTGGAATGCCCCAGCATGGGGGACAGAGAAG
 GTTGGACTGGTGTACAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC200594 representing NM_021079
 Red=Cloning site Green=Tags(s)

MADESETAVKPPAPPLPQMMEGNGNGHEHCSDCENEEDNSYNRGG LSPANDTGAKKKKKKQKKKKEKGSE
 TDSAQDQPVKMNSLPAERIQEIQKAIELF SVGQGPAKTMEEASKRSYQFWDTPVPKLG EVVNTHGVPVEP
 DKDNIRQEPYTL PQGFTWDALDLGDRGVLKELYLLNENYVEDDDNMFRFDYSPEFLLWALRPPGWLPQW
 HCGVRVVS SRKLVGFISAIPANIHIYDTEKMMVEINFLCVHKLRSKRVAPVLI REITRRVHLEGIFQAV
 YTAGVVLPKPVGT CRYWHRSLNPRKLEIVKFSHLSRMTMQRTMKLYRLPETPKTAGLRPMETKDIPVVH
 QLLTRYLKQFHL TPVMSQEEVEHWFYPQENIIDTFVVENANGEVTDFLSFYTL PSTIMNHPTHKSLKAAAY
 SFYVHTQTPLLDLMSDALVLAKMKGFDFNALDLMENKTFLEKLF GIGDGNLQYYLYNWKCP SMGAEK
 VGLVLQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6269_d09.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_021079

ORF Size: 1488 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_021079.5](#)

RefSeq Size: 4903 bp

RefSeq ORF: 1491 bp

Locus ID: 4836

UniProt ID: [P30419](#)

Cytogenetics: 17q21.31


Domains: NMT

Protein Families: Druggable Genome


MW: 56.6 kDa

Gene Summary: Myristate, a rare 14-carbon saturated fatty acid, is cotranslationally attached by an amide linkage to the N-terminal glycine residue of cellular and viral proteins with diverse functions. N-myristoyltransferase (NMT; EC 2.3.1.97) catalyzes the transfer of myristate from CoA to proteins. N-myristoylation appears to be irreversible and is required for full expression of the biologic activities of several N-myristoylated proteins, including the alpha subunit of the signal-transducing guanine nucleotide-binding protein (G protein) GO (GNAO1; MIM 139311) (Duronio et al., 1992 [PubMed 1570339]).[supplied by OMIM, Nov 2008]


Product images:



Circular map for RC200594



Western blot validation of overexpression lysate (Cat# [LY412097]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200594 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified NMT1 protein (Cat# [TP300594]). The protein was produced from HEK293T cells transfected with NMT1 cDNA clone (Cat# RC200594) using MegaTran 2.0 (Cat# [TT210002]).