

Product datasheet for **RC200619**

Spermine synthase (SMS) (NM_004595) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Spermine synthase (SMS) (NM_004595) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Spermine synthase
Synonyms:	MRSR; SPMSY; SpS; SRS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC200619 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCAGCAGCACGGCACAGCAGCTCGACTTCATGCTCGGCGCCAAAGCTGATGGTGAGACCATTCTAA
AAGGCCTCCAGTCCATTTCCAGGAGCAGGGGATGGCGGAGTCGGTGCACACCTGCCAGGACCATGGCTA
TTTAGCAACCTACACAAACAAGAACGGCAGCTTGCCAAATTTGAGAATTTACCCACATGGATTGGTGTG
CTGGACCTTCAGAGTTATGATGGTGATGCGCAAGGCAAAGAAGAGATCGACAGTATTTGAACAAAGTAG
AGGAAAGAATGAAAGAATTGAGTCAGGACAGTACTGGGCGGGTCAAACGATTACCACCCATAGTGCAGG
AGGAGCCATCGACAGATACTGGCCACCGCCGACGGGCGCCTGGTTGAATATGACATAGATGAAGTGGTA
TATGACGAAGATTCACCTTATCAAAATATAAAAATTCTACACTCGAAGCAGTTTGGAAATATTCTCATCC
TTAGTGGGGATGTTAATTTGGCAGAGAGTGATTTGGCATATACCGGGCCATCATGGGCAGTGGCAAAGA
AGATTACACTGGCAAAGATGTAATCTGGGAGGTGGAGACGGAGGCATATTGTGTGAAATAGTCAAA
CTAAAACCAAAGATGGTCACTATGGTAGAGATTGACCAAATGGTATTGATGGGTGAAGAAATACATGC
GAAAAACGTGTGGCGATGCTTAGACAATCTTAAAGGAGACTGCTATCAGGTTCTAATAGAAGACTGTAT
CCCGGTACTGAAGAGGTACGCCAAAGAAGAGGAGAGAATTTGATTATGTGATTAATGATTTGACAGCTGTT
CCAATCTCCACGTCTCCAGAAGAAGATTCACATGGGAGTTTCTCAGACTGATTCTTGACCTCTCAATGA
AAGTGTGAAACAGGATGGGAAATATTTTACACAGGGGAACTGTGCAATCTGACAGAAGCACTGTCGCT
CTATGAAGAACAGCTGGGCGCCTGTATTGTCTGTGGAATTTTCAAAGGAGATCGTCTGTGTCCCTTCA
TACTTGAATTTGGGTATTTTACTGTTTGAAGAAAGCTAAACCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC200619 protein sequence
Red=Cloning site Green=Tags(s)

MAAARHSTLDFMLGAKADGETILKGLQSFQEQGMAESVHTWQDHGYLATYTNKNGSFANLRIYPHGLVL
 LDLQSYDGDAAQKKEEIDSILNKVEERMKELSQDSTGRVKRLPPIVRGGAIDRYWPTADGRLVEYDIDEVV
 YDEDSPYQNIKILHSKQFGNILILSGDVNLAESDLAYTRAIMSGKEDYTGKDVILGGGDGGILCEIVK
 LKPKMVTMVEIDQMVIDGCKKYMRKTCGDVLDNLKGDICYQLIEDCIPVLKRYAKEGREFDYVINDLTAV
 PISTSPPEEDSTWEFLRLILDLSMKVYKQDGKYFTQGNVCNLTALSLYEEQLGRLYCPVEFSKEIVCVPS
 YLELWVFYTVWKKAKP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6418_b04.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_004595

ORF Size: 1098 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_004595.5
RefSeq Size:	1868 bp
RefSeq ORF:	1101 bp
Locus ID:	6611
UniProt ID:	P52788
Cytogenetics:	Xp22.11
Domains:	Spermine_synth
Protein Pathways:	Arginine and proline metabolism, beta-Alanine metabolism, Cysteine and methionine metabolism, Glutathione metabolism, Metabolic pathways
MW:	41.3 kDa
Gene Summary:	This gene encodes a protein belonging to the spermidine/spermin synthase family and catalyzes the production of spermine from spermidine. Pseudogenes of this gene are located on chromosomes 1, 5, 6 and X. Mutations in this gene cause an X-linked intellectual disability called Snyder-Robinson Syndrome (SRS). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2017]


Product images:




Circular map for RC200619



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SMS (Cat# RC200619, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SMS (Cat# [TA503099]). Positive lysates [LY417877] (100ug) and [LC417877] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY417877]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200619 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified SMS protein (Cat# [TP300619]). The protein was produced from HEK293T cells transfected with SMS cDNA clone (Cat# RC200619) using MegaTran 2.0 (Cat# [TT210002]).