

Product datasheet for **RC200626**

Pirin (PIR) (NM_001018109) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pirin (PIR) (NM_001018109) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Pirin
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC200626 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGGTCCTCCAAGAAAGTTACTCTCTCAGTGCTCAGCCGGGAGCAGTCGGAAGGGGTTGGAGCGAGGG
TCCGGAGAAGCATTGGCAGACCCGAGTTAAAAATCTGGATCCGTTTTACTGTTTGATGAATTTAAAGG
AGGTAGACCAGGAGGATTTCTGATCATCCACATCGAGGTTTTGAAACAGTATCCTACCTCCTGGAAGGG
GGCAGCATGGCCCATGAAGACTTCTGTGGACACACTGGTAAAATGAACCCAGGAGATTTGCAGTGGATGA
CTGCGGGCCGGGCATTCTGCACGCTGAGATGCCTTGCTCAGAGGAGCCAGCCCATGGCCTACAACCTGTG
GGTTAATTTGAGGAGCTCAGAGAAGATGGTGGAGCCTCAGTACCAGGAACTGAAAAGTGAAGAAATCCCT
AAACCCAGTAAGGATGGTGTGACAGTTGCTGTCAATTTCTGGAGAAGCCCTGGGAATAAAGTCCAAGGTTT
ACACTCGCACACCAACCTTATATTTGGACTTCAAATTGGACCCAGGAGCCAAACATTCCTCAACCTATCCC
TAAAGGGTGGACAAGCTTCATTTACACGATATCTGGAGATGTGTATATTGGGCCCGATGATGCACAACAA
AAAATAGAACCTCATCACACAGCAGTGTGGAGAAGGTGACAGTGTCCAGGTGGAGAACAAGGATCCCA
AGAGAAGCCACTTTGTCTTAATTGCTGGGAGCCATTAAGAGAACCAGTTATCCAACATGGTCCATTTGT
GATGAACACCAATGAAGAGATTTCTCAAGCTATTCTTGATTTAGAAAACGCAAAAAATGGGTTTGAAGG
GCCAAAACCTGGAAATCAAAGATTGGGAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC200626 protein sequence
Red=Cloning site Green=Tags(s)

MGSSKKVTL SVLSREQSEGVGARVRRS IGRPELKNLDPFLLFDEFKGGPRGGFPDHPHRGFETVSYLLEG
 GSM AHEDFCGHTGKMNP GD LQWMTAGRGILHAEMPCSEEP AHGLQLWVNLRSSEKMVEPQYQELKSEEIP
 KPSKDGVTVAVISGEALGIKSKVYTRPTLYLDFKLDPGAKHSQPIPKGWT SF IYTIISGDVYIGPDDAQQ
 KIEPHHTAVLGE GDSVQVENKDPKRSHFVLIAGEPLREPVIQHGP FVMNTNEEISQA I LDFRNAKNGFER
 AKTWKSKIGN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6386_c12.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001018109

ORF Size: 870 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001018109.3](#)

RefSeq Size: 1542 bp

RefSeq ORF: 873 bp

Locus ID: 8544

UniProt ID: [O00625](#)


Cytogenetics: Xp22.2

Protein Families: Transcription Factors


MW: 32.1 kDa

Gene Summary: This gene encodes a member of the cupin superfamily. The encoded protein is an Fe(II)-containing nuclear protein expressed in all tissues of the body and concentrated within dot-like subnuclear structures. Interactions with nuclear factor I/CCAAT box transcription factor as well as B cell lymphoma 3-encoded oncoprotein suggest the encoded protein may act as a transcriptional cofactor and be involved in the regulation of DNA transcription and replication. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC200626



Western blot validation of overexpression lysate (Cat# [LY422656]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200626 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PIR protein (Cat# [TP300626]). The protein was produced from HEK293T cells transfected with PIR cDNA clone (Cat# RC200626) using MegaTran 2.0 (Cat# [TT210002]).