

Product datasheet for RC200636L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

ICAM4 (NM_001039132) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ICAM4 (NM_001039132) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: ICAM4

Synonyms: CD242; LW

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200636).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001039132

ORF Size: 816 bp





ICAM4 (NM_001039132) Human Tagged Lenti ORF Clone - RC200636L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001039132.1</u>

 RefSeq Size:
 1277 bp

 RefSeq ORF:
 819 bp

 Locus ID:
 3386

 UniProt ID:
 014773

Cytogenetics: 19p13.2

Protein Families: Secreted Protein, Transmembrane

MW: 29.6 kDa


Gene Summary: This gene encodes the Landsteiner-Wiener (LW) blood group antigen(s) that belongs to the

immunoglobulin (Ig) superfamily, and that shares similarity with the intercellular adhesion molecule (ICAM) protein family. This ICAM protein contains 2 Ig-like C2-type domains and binds to the leukocyte adhesion LFA-1 protein. The molecular basis of the LW(A)/LW(B) blood group antigens is a single aa variation at position 100; Gln-100=LW(A) and Arg-100=LW(B). Alternative splicing results in multiple transcript variants encoding distinct isoforms.


[provided by RefSeq, Jul 2008]



Product images:



Circular map for RC200636L1



Double digestion of RC200636L1 using Sgfl and Mlul $\,$