

Product datasheet for RC200649

POLR2L (NM 021128) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: POLR2L (NM_021128) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: POLR2L

Synonyms: hRPB7.6; RBP10; RPABC5; RPB7.6; RPB10; RPB10beta

Mammalian Cell Neomycin

Selection:

Vector:

pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC200649 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGATCATCCCTGTACGCTGCTTCACTTGTGGCAAGATCGTCGGCAACAAGTGGGAGGCTTACCTGGGGCTGCTGCAGGCCGAGTACACCGAGGGGGACGCGCTGGATGCCCTGGGCCTGAAGCGCTACTGCTGCCGCCG

GATGCTGCCCACGTGGACCTGATCGAGAAGCTGCTCAATTATGCACCCCTGGAGAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC200649 protein sequence

Red=Cloning site Green=Tags(s)

 $\verb|MIIPVRCFTCGKIVGNKWEAYLGLLQAEYTEGDALDALGLKRYCCRRMLLAHVDLIEKLLNYAPLEK|$

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6417 c09.zip

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_021128

ORF Size: 201 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeg: NM 021128.3, NP 066951.1

POLR2L (NM_021128) Human Tagged ORF Clone - RC200649

 RefSeq Size:
 925 bp

 RefSeq ORF:
 204 bp

 Locus ID:
 5441

 UniProt ID:
 P62875

 Cytogenetics:
 11p15.5

 Domains:
 RNA_pol_N

Protein Families: Transcription Factors

Protein Pathways: Huntington's disease, Metabolic pathways, Purine metabolism, Pyrimidine metabolism, RNA

polymerase


MW: 7.6 kDa

Gene Summary: This gene encodes a subunit of RNA polymerase II, the polymerase responsible for

synthesizing messenger RNA in eukaryotes. The product of this gene contains four conserved cysteines characteristic of an atypical zinc-binding domain. Like its counterpart in yeast, this subunit may be shared by the other two DNA-directed RNA polymerases. [provided by


RefSeq, Jul 2008]


Product images:



Circular map for RC200649







Western blot validation of overexpression lysate (Cat# [LY412067]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200649 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified POLR2L protein (Cat# [TP300649]). The protein was produced from HEK293T cells transfected with POLR2L cDNA clone (Cat# RC200649) using MegaTran 2.0 (Cat# [TT210002]).