

# Product datasheet for RC200656

# S100A11 (NM\_005620) Human Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	S100A11 (NM_005620) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	S100A11
Synonyms:	HEL-S-43; MLN70; S100C
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RC200656 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GC <mark>CGCGATCGC</mark> C
	ATGGCAAAAATCTCCAGCCCTACAGAGACTGAGCGGTGCATCGAGTCCCTGATTGCTGTCTTCCAGAAGT ATGCTGGAAAGGATGGTTATAACTACACTCTCTCCAAGACAGAGTTCCTAAGCTTCATGAATACAGAACT AGCTGCCTTCACAAAGAACCAGAAGGACCCTGGTGTCCTTGACCGCATGATGAAGAAACTGGACACCAAC AGTGATGGTCAGCTAGATTTCTCAGAATTTCTTAATCTGATTGGTGGCCTAGCTATGGCTTGCCATGACT CCTTCCTCAAGGCTGTCCCTTCCCAGAAGCGGACC
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	<pre>&gt;RC200656 protein sequence Red=Cloning site Green=Tags(s)</pre>
	MAKISSPTETERCIESLIAVFQKYAGKDGYNYTLSKTEFLSFMNTELAAFTKNQKDPGVLDRMMKKLDTN SDGQLDFSEFLNLIGGLAMACHDSFLKAVPSQKRT
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6065_c07.zip
<b>Restriction Sites:</b>	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **Cloning Scheme:**




\* The last codon before the Stop codon of the ORF

ACCN:	NM_005620
ORF Size:	315 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 005620.2</u>
RefSeq Size:	595 bp
RefSeq ORF:	318 bp


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	S100A11 (NM_005620) Human Tagged ORF Clone – RC200656
Locus ID:	6282
UniProt ID:	<u>P31949</u>
Cytogenetics:	1q21.3
Domains:	S_100, EFh
MW:	11.7 kDa
Gene Summary:	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF- hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in motility, invasion, and tubulin polymerization. Chromosomal rearrangements and altered expression of this gene have been implicated in tumor metastasis. [provided by RefSeq, Jul 2008]

# **Product images:**




Circular map for RC200656



Western blot validation of overexpression lysate (Cat# [LY417184]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200656 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Coomassie blue staining of purified S100A11 protein (Cat# [TP300656]). The protein was produced from HEK293T cells transfected with S100A11 cDNA clone (Cat# RC200656) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US