

Product datasheet for RC200676L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CCKBR (NM_176875) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CCKBR (NM_176875) Human Tagged ORF Clone Lentiviral Particle

Symbol: CCKBR

Synonyms: CCK-B; CCK2R; GASR

Mammalian Cell

Selection:

ACCN:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

NM 176875

Tag: Myc-DDK

ORF Size: 1341 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC200676).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 176875.2

RefSeq Size:2120 bpRefSeq ORF:1344 bp

 Locus ID:
 887

 UniProt ID:
 P32239

 Cytogenetics:
 11p15.4

Protein Families: Druggable Genome, GPCR, Transmembrane

Protein Pathways: Calcium signaling pathway, Neuroactive ligand-receptor interaction





ORÏGENE

MW: 48.4 kDa

Gene Summary: This gene encodes a G-protein coupled receptor for gastrin and cholecystokinin (CCK),

regulatory peptides of the brain and gastrointestinal tract. This protein is a type B gastrin receptor, which has a high affinity for both sulfated and nonsulfated CCK analogs and is found principally in the central nervous system and the gastrointestinal tract. Alternative splicing results in multiple transcript variants. A misspliced transcript variant including an intron has been observed in cells from colorectal and pancreatic tumors. [provided by

RefSeq, Dec 2015]