

## Product datasheet for RC200686L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TCP1 alpha (TCP1) (NM\_030752) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: TCP1 alpha (TCP1) (NM\_030752) Human Tagged ORF Clone Lentiviral Particle

Symbol: TCP1 alpha

Synonyms: CCT-alpha; CCT1; CCTa; D6S230E; TCP-1-alpha

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_030752 **ORF Size:** 1668 bp

**ORF Nucleotide** 

OTI Disclaimer:

'

Sequence:

The ORF insert of this clone is exactly the same as(RC200686).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 030752.2</u>

 RefSeq Size:
 2463 bp

 RefSeq ORF:
 1671 bp

 Locus ID:
 6950

 UniProt ID:
 P17987

**Cytogenetics:** 6q25.3

**Domains:** cpn60\_TCP1

MW: 60.3 kDa





## **Gene Summary:**

The protein encoded by this gene is a molecular chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of this gene, encoding different isoforms, have been characterized. In addition, three pseudogenes that appear to be derived from this gene have been found. [provided by RefSeq, Jun 2010]