

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC200686L3V

TCP1 alpha (TCP1) (NM_030752) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	TCP1 alpha (TCP1) (NM_030752) Human Tagged ORF Clone Lentiviral Particle
Symbol:	TCP1 alpha
Synonyms:	CCT-alpha; CCT1; CCTa; D6S230E; TCP-1-alpha
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_030752
ORF Size:	1668 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC200686).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 030752.2</u>
RefSeq Size:	2463 bp
RefSeq ORF:	1671 bp
Locus ID:	6950
UniProt ID:	<u>P17987</u>
Cytogenetics:	6q25.3
Domains:	cpn60_TCP1
MW:	60.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TCP1 alpha (TCP1) (NM_030752) Human Tagged ORF Clone Lentiviral Particle – RC200686L3V
Gene Summary:	The protein encoded by this gene is a molecular chaperone that is a member of the
-	chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This
	complex consists of two identical stacked rings, each containing eight different proteins.
	Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-

dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of this gene, encoding different isoforms, have been characterized. In addition, three pseudogenes that appear to be derived from this gene have been found. [provided by RefSeq, Jun 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US