

Product datasheet for RC200727L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BRCC36 (BRCC3) (NM_024332) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: BRCC36 (BRCC3) (NM 024332) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: BRCC36

Synonyms: BRCC36; C6.1A; CXorf53

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200727).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_024332

ORF Size: 948 bp





BRCC36 (BRCC3) (NM_024332) Human Tagged Lenti ORF Clone - RC200727L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 024332.2</u>, <u>NP 077308.1</u>

 RefSeq Size:
 2952 bp

 RefSeq ORF:
 951 bp

 Locus ID:
 79184

 UniProt ID:
 P46736

 Cytogenetics:
 Xq28

Domains: JAB MPN

Protein Families: Druggable Genome, Protease

MW: 36.1 kDa

Gene Summary: This gene encodes a subunit of the BRCA1-BRCA2-containing complex (BRCC), which is an E3


ubiquitin ligase. This complex plays a role in the DNA damage response, where it is responsible for the stable accumulation of BRCA1 at DNA break sites. The component encoded by this gene can specifically cleave Lys 63-linked polyubiquitin chains, and it regulates the abundance of these polyubiquitin chains in chromatin. The loss of this gene

results in abnormal angiogenesis and is associated with syndromic moyamoya, a

cerebrovascular angiopathy. Alternative splicing results in multiple transcript variants. A related pseudogene has been identified on chromosome 5. [provided by RefSeq, Jun 2011]



Product images:



Circular map for RC200727L4