

Product datasheet for **RC200739**

p21 Ras (HRAS) (NM_176795) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: p21 Ras (HRAS) (NM_176795) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: HRAS
Synonyms: C-BAS/HAS; C-H-RAS; C-HA-RAS1; CTLO; H-RASIDX; HAMS; HRAS1; p21ras; RASH1
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC200739 representing NM_176795
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGACGGAATATAAGCTGGTGGTGGTGGGCGCCGGCGGTGTGGGCAAGAGTGGCTGACCATCCAGCTGA
TCCAGAACCATTTGTGGACGAATACGACCCACTATAGAGGATTCCTACCGAAGCAGGTGGTCATTGA
TGGGGAGACGTGCCTGTTGGACATCCTGGATACCGCCGGCCAGGAGGAGTACAGCGCCATCGGGACCAG
TACATGCGCACCGGGAGGGCTTCTGTGTGTGTTTGCCATCAACAACACCAAGTCTTTGAGGACATCC
ACCACTACAGGGAGCAGATCAAACGGGTGAAGGACTCGGATGACGTGCCATGGTGTGGTGGGGAACAA
GTGTGACCTGGTGCACGCACTGTGGAATCTCGGCAGGCTCAGGACCTCGCCGAAGCTACGGCATCCCC
TACATCGAGACCTCGGCCAAGACCCGGCAGGGCAGCCGCTCTGGCTCTAGCTCCAGCTCCGGGACCCTCT
GGGACCCCCGGGACCCATG

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC200739 representing NM_176795
Red=Cloning site Green=Tags(s)
MTEYKLVVVGAGGVGKSALTIQLIQNHFVDEYDPTIEDSYRKQVVIDGETCLLDILDITAGQEEYSAMRDQ
YMRTEGFLCVFAINNTKSFEDIHQYREQIKRVKDSDDVPMVLVGNKCDLAARTVESRQAQDLARSYGIP
YIETSAKTRQGSRSRSGSSSSGTLWDPGPM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/ja1451_b11.zip




[View online »](#)

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:




ACCN: NM_176795

ORF Size: 510 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
RefSeq:	<p>NM_176795.4, NP_789765.1</p>
RefSeq Size:	<p>1143 bp</p>
RefSeq ORF:	<p>513 bp</p>
Locus ID:	<p>3265</p>
UniProt ID:	<p>P01112</p>
Protein Families:	<p>Druggable Genome</p>
Protein Pathways:	<p>Acute myeloid leukemia, Axon guidance, B cell receptor signaling pathway, Bladder cancer, Chemokine signaling pathway, Chronic myeloid leukemia, Endocytosis, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Long-term depression, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Melanoma, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway, Thyroid cancer, Tight junction, VEGF signaling pathway</p>
MW:	<p>18.7 kDa</p>

Gene Summary:

This gene belongs to the Ras oncogene family, whose members are related to the transforming genes of mammalian sarcoma retroviruses. The products encoded by these genes function in signal transduction pathways. These proteins can bind GTP and GDP, and they have intrinsic GTPase activity. This protein undergoes a continuous cycle of de- and re-palmitoylation, which regulates its rapid exchange between the plasma membrane and the Golgi apparatus. Mutations in this gene cause Costello syndrome, a disease characterized by increased growth at the prenatal stage, growth deficiency at the postnatal stage, predisposition to tumor formation, cognitive disability, skin and musculoskeletal abnormalities, distinctive facial appearance and cardiovascular abnormalities. Defects in this gene are implicated in a variety of cancers, including bladder cancer, follicular thyroid cancer, and oral squamous cell carcinoma. Multiple transcript variants, which encode different isoforms, have been identified for this gene. [provided by RefSeq, Jul 2008]

Product images:

Western blot validation of overexpression lysate (Cat# [LY406123]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC200739 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).