

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC200749L4V

## MCG10 (PCBP4) (NM\_033008) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	MCG10 (PCBP4) (NM_033008) Human Tagged ORF Clone Lentiviral Particle
Symbol:	MCG10
Synonyms:	CBP; LIP4; MCG10
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_033008
ORF Size:	1209 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC200749).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 033008.1</u>
RefSeq Size:	2040 bp
RefSeq ORF:	1212 bp
Locus ID:	57060
UniProt ID:	<u>P57723</u>
Cytogenetics:	3p21.2
Domains:	КН
MW:	41.5 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



### MCG10 (PCBP4) (NM\_033008) Human Tagged ORF Clone Lentiviral Particle – RC200749L4V

Gene Summary:This gene encodes a member of the KH-domain protein subfamily. Proteins of this subfamily,<br/>also referred to as alpha-CPs, bind to RNA with a specificity for C-rich pyrimidine regions.<br/>Alpha-CPs play important roles in post-transcriptional activities and have different cellular<br/>distributions. This gene is induced by the p53 tumor suppressor, and the encoded protein<br/>can suppress cell proliferation by inducing apoptosis and cell cycle arrest in G(2)-M. This<br/>gene's protein is found in the cytoplasm, yet it lacks the nuclear localization signals found in<br/>other subfamily members. Multiple alternatively spliced transcript variants have been<br/>described, but the full-length nature for only some has been determined. [provided by<br/>RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US