

Product datasheet for RC200761

HIC5 (TGFB1I1) (NM_015927) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HIC5 (TGFB1I1) (NM_015927) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: HIC5

Synonyms: ARA55; HIC-5; HIC5; TSC-5

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



HIC5 (TGFB1I1) (NM_015927) Human Tagged ORF Clone - RC200761

ORF Nucleotide Sequence:

>RC200761 ORF sequence

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCCAAGGTCAGGGGCTCCCAAAGAGCGCCCTGCGGAGCCTCTCACCCCTCCCCCATCCTATGGCCACC AGCCACAGACAGGGTCTGGGGAGTCTTCAGGAGCCTCGGGGGACAAGGACCACCTGTACAGCACGGTATG CAAGCCTCGGTCCCCAAAGCCTGCAGCCCCGGCGGCCCCTCCATTCTCCTCTTCCAGCGGTGTCTTGGGT ACCGGGCTCTGTGAGCTAGATCGGTTGCTTCAGGAACTTAATGCCACTCAGTTCAACATCACAGATGAAA TCATGTCTCAGTTCCCATCTAGCAAGGTGGCTTCAGGAGAGCAGAAGGAGGACCAGTCTGAAGATAAGAA AAGACCCAGCCTCCCTTCCAGCCCGTCTCCTGGCCTCCCAAAGGCTTCTGCCACCTCAGCCACTCTGGAG CTGGATAGACTGATGGCCTCACTCTCTGACTTCCGCGTTCAAAACCATCTTCCAGCCTCTGGGCCAACTC AGCCACCGGTGGTGAGCTCCACAAATGAGGGCTCCCCATCCCCACCAGAGCCGACTGGCAAGGGCAGCCT TGTGGCTCCTGCAATAAACCTATTGCTGGGCAAGTGGTGACGGCTCTGGGCCGCCTGGCACCCCGAGC ACTTCGTTTGCGGAGGCTGTTCCACCGCCCTGGGAGGCAGCAGCTTCTTCGAGAAGGATGGAGCCCCCTT CTGCCCGAGTGCTACTTTGAGCGCTTCTCGCCAAGATGTGGCTTCTGCAACCAGCCCATCCGACACAAG ATGGTGACCGCCTTGGGCACTCACTGGCACCCAGAGCATTTCTGCTGCGTCAGTTGCGGGGAGCCCTTCG GAGATGAGGGTTTCCACGAGCGCGAGGGCCGCCCTACTGCCGCCGGGACTTCCTGCAGCTGTTCGCCCC GCGCTGCCAGGGCTGCCAGGGCCCCATCCTGGATAACTACATCTCGGCGCTCAGCGCGCTCTGGCACCCG GACTGTTTCGTCTGCAGGGAATGCTTCGCGCCCTTCTCGGGAGGCAGCTTTTTCGAGCACGAGGGCCGCC CGTTGTGCGAGAACCACTTCCACGCACGACGCGGCTCGCTGTGCGCCACGTGTGGCCTCCCTGTGACCGG CTCACCAAGGGGTCCTTCCAGGAGCGCGCCGGCAAGCCCTACTGCCAGCCCTGCTTCCTGAAGCTCTTCG GC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC200761 protein sequence
Red=Cloning site Green=Tags(s)

MPRSGAPKERPAEPLTPPPSYGHQPQTGSGESSGASGDKDHLYSTVCKPRSPKPAAPAAPPFSSSSGVLG TGLCELDRLLQELNATQFNITDEIMSQFPSSKVASGEQKEDQSEDKKRPSLPSSPSPGLPKASATSATLE LDRLMASLSDFRVQNHLPASGPTQPPVVSSTNEGSPSPPEPTGKGSLDTMLGLLQSDLSRRGVPTQAKGL CGSCNKPIAGQVVTALGRAWHPEHFVCGGCSTALGGSSFFEKDGAPFCPECYFERFSPRCGFCNQPIRHK MVTALGTHWHPEHFCCVSCGEPFGDEGFHEREGRPYCRRDFLQLFAPRCQGCQGPILDNYISALSALWHP DCFVCRECFAPFSGGSFFEHEGRPLCENHFHARRGSLCATCGLPVTGRCVSALGRRFHPDHFTCTFCLRP LTKGSFQERAGKPYCQPCFLKLFG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: https://cdn.origene.com/chromatograms/mk6154 g10.zip

Restriction Sites: Sgfl-Mlul



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_015927

ORF Size: 1332 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Cytogenetics:

HIC5 (TGFB1I1) (NM_015927) Human Tagged ORF Clone - RC200761

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 015927.4</u>

 RefSeq Size:
 1812 bp

 RefSeq ORF:
 1335 bp

 Locus ID:
 7041

 UniProt ID:
 043294

Protein Families: Druggable Genome, Transcription Factors

16p11.2


MW: 47.9 kDa

Gene Summary: This gene encodes a coactivator of the androgen receptor, a transcription factor which is

activated by androgen and has a key role in male sexual differentiation. The encoded protein is thought to regulate androgen receptor activity and may have a role to play in the treatment of prostate cancer. Multiple transcript variants encoding different isoforms have been found


for this gene. [provided by RefSeq, Sep 2009]


Product images:




Circular map for RC200761









HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY TGFB1I1 (Cat# RC200761, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TGFB(Cat# [TA590254]). Positive lysates [LY402475] (100ug) and [LC402475] (20ug) can be purchased separately from OriGene.

Western blot validation of overexpression lysate (Cat# [LY431927]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC228899] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified TGFB1I1 protein (Cat# [TP300761]). The protein was produced from HEK293T cells transfected with TGFB1I1 cDNA clone (Cat# RC200761) using MegaTran 2.0 (Cat# [TT210002]).