

Product datasheet for RC200787L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PEAMT (PEMT) (NM_148173) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PEAMT (PEMT) (NM_148173) Human Tagged ORF Clone Lentiviral Particle

Symbol: PEAMT

Synonyms: PEAMT; PEMPT; PEMT2; PLMT; PNMT

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 148173

ORF Size: 711 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC200787).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 148173.1

RefSeq Size: 905 bp

RefSeq ORF: 600 bp

Locus ID: 10400

UniProt ID: Q9UBM1

Cytogenetics: 17p11.2

Domains: PEMT

Protein Families: Transmembrane





PEAMT (PEMT) (NM_148173) Human Tagged ORF Clone Lentiviral Particle - RC200787L3V

Protein Pathways: Glycerophospholipid metabolism, Metabolic pathways

MW: 25.9 kDa

Gene Summary: Phosphatidylcholine (PC) is the most abundant mammalian phospholipid. This gene encodes

an enzyme which converts phosphatidylethanolamine to phosphatidylcholine by sequential methylation in the liver. Another distinct synthetic pathway in nucleated cells converts intracellular choline to phosphatidylcholine by a three-step process. The protein isoforms encoded by this gene localize to the endoplasmic reticulum and mitochondria-associated membranes. Alternate splicing of this gene results in multiple transcript variants encoding

different isoforms. [provided by RefSeq, May 2012]