

Product datasheet for RC200795L3

SLC38A5 (NM_033518) Human Tagged Lenti ORF Clone


Product data:

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Expression Plasmids
SLC38A5 (NM_033518) Human Tagged Lenti ORF Clone
Myc-DDK
SLC38A5
JM24; pp7194; SN2; SNAT5
Puromycin
pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Chloramphenicol (34 ug/mL)
The ORF insert of this clone is exactly the same as(RC200795).
Sgfl-Mlul
Cloning sites used for ORF Shuttling: Sgf 1 ORF Mlu 1 GCG ATC GCC ATG // NNN ACG CGT



ACCN: ORF Size: NM_033518 1416 bp



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE SLC38	A5 (NM_033518) Human Tagged Lenti ORF Clone – RC200795L3
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 033518.1</u>
RefSeq Size:	1993 bp
RefSeq ORF:	1419 bp
Locus ID:	92745
UniProt ID:	<u>Q8WUX1</u>
Cytogenetics:	Xp11.23
Protein Families:	Transmembrane
MW:	51.5 kDa
Gene Summary:	The protein encoded by this gene is a system N sodium-coupled amino acid transporter. The encoded protein transports glutamine, asparagine, histidine, serine, alanine, and glycine across the cell membrane, but does not transport charged amino acids, imino acids, or N- alkylated amino acids. Alternative splicing results in multiple transcript variants, but the full- length nature of some of these variants has not been determined. [provided by RefSeq, Aug

2013]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Product images:



Circular map for RC200795L3

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US