

## **Product datasheet for RC200940L1**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Glycogen synthase 1 (GYS1) (NM\_002103) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Glycogen synthase 1 (GYS1) (NM\_002103) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

**Symbol:** Glycogen synthase 1

**Synonyms:** GSY; GYS

Mammalian Cell None

Selection:


Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200940).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_002103

ORF Size: 2211 bp



#### Glycogen synthase 1 (GYS1) (NM\_002103) Human Tagged Lenti ORF Clone - RC200940L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 002103.3

RefSeq Size: 3635 bp RefSeq ORF: 2214 bp Locus ID: 2997 **UniProt ID:** 

Cytogenetics: 19q13.33

**Protein Pathways:** Insulin signaling pathway, Starch and sucrose metabolism

MW: 83.8 kDa

**Gene Summary:** The protein encoded by this gene catalyzes the addition of glucose monomers to the growing


> glycogen molecule through the formation of alpha-1,4-glycoside linkages. Mutations in this gene are associated with muscle glycogen storage disease. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep.

20091


P13807



# **Product images:**



Circular map for RC200940L1



Double digestion of RC200940L1 using Sgfl and Mlul