

## Product datasheet for RC200953L3

### TMEM108 (NM\_023943) Human Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	TMEM108
Synonyms:	CT124; RTLN
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC200953).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.

ACCN:	NM_023943
ORF Size:	1725 bp




<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_023943.1</a>
<b>RefSeq Size:</b>	3847 bp
<b>RefSeq ORF:</b>	1728 bp
<b>Locus ID:</b>	66000
<b>UniProt ID:</b>	<a href="#">Q6UXF1</a>
<b>Cytogenetics:</b>	3q22.1
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>MW:</b>	59.9 kDa

**Gene Summary:**

Transmembrane protein required for proper cognitive functions. Involved in the development of dentate gyrus (DG) neuron circuitry, is necessary for AMPA receptors surface expression and proper excitatory postsynaptic currents of DG granule neurons. Regulates the organization and stability of the microtubule network of sensory neurons to allow axonal transport. Through the interaction with DST, mediates the docking of the dynein/dynactin motor complex to vesicle cargos for retrograde axonal transport. In hippocampal neurons, required for BDNF-dependent dendrite outgrowth. Cooperates with SH3GL2 and recruits the WAVE1 complex to facilitate actin-dependent BDNF:NTRK2 early endocytic trafficking and mediate signaling from early endosomes.[UniProtKB/Swiss-Prot Function]

**Product images:**



Circular map for RC200953L3