

## **Product datasheet for RC200979L1**

#### **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### JAB1 (COPS5) (NM\_006837) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: JAB1 (COPS5) (NM 006837) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: JAB1

Synonyms: CSN5; JAB1; MOV-34; SGN5

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200979).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_006837

ORF Size: 1002 bp



#### JAB1 (COPS5) (NM\_006837) Human Tagged Lenti ORF Clone - RC200979L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 006837.2</u>

 RefSeq Size:
 1510 bp

 RefSeq ORF:
 1005 bp

 Locus ID:
 10987

 UniProt ID:
 Q92905

 Cytogenetics:
 8q13.1

Domains: JAB MPN

**Protein Families:** Druggable Genome, Protease, Transcription Factors

**MW:** 37.6 kDa


**Gene Summary:** The protein encoded by this gene is one of the eight subunits of COP9 signalosome, a highly

conserved protein complex that functions as an important regulator in multiple signaling pathways. The structure and function of COP9 signalosome is similar to that of the 19S regulatory particle of 26S proteasome. COP9 signalosome has been shown to interact with SCF-type E3 ubiquitin ligases and act as a positive regulator of E3 ubiquitin ligases. This protein is reported to be involved in the degradation of cyclin-dependent kinase inhibitor CDKN1B/p27Kip1. It is also known to be an coactivator that increases the specificity of


JUN/AP1 transcription factors. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC200979L1



Double digestion of RC200979L1 using Sgfl and Mlul  $\,$