

Product datasheet for RC201021L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Suppressor of Fused (SUFU) (NM_016169) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Suppressor of Fused (SUFU) (NM_016169) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Suppressor of Fused

Synonyms: JBTS32; PRO1280; SUFUH; SUFUXL

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

Sgfl-Mlul


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201021).

Sequence:

Restriction Sites:
Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_016169

ORF Size: 1452 bp



Suppressor of Fused (SUFU) (NM_016169) Human Tagged Lenti ORF Clone - RC201021L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 016169.2</u>

 RefSeq Size:
 4994 bp

 RefSeq ORF:
 1455 bp

 Locus ID:
 51684

 UniProt ID:
 Q9UMX1

Domains: SUFU

Cytogenetics:

Protein Families: Druggable Genome, Transcription Factors

10q24.32

Protein Pathways: Basal cell carcinoma, Hedgehog signaling pathway, Pathways in cancer

MW: 53.9 kDa


Gene Summary: The Hedgehog signaling pathway plays an important role in early human development. The

pathway is a signaling cascade that plays a role in pattern formation and cellular proliferation during development. This gene encodes a negative regulator of the hedgehog signaling pathway. Defects in this gene are a cause of medulloblastoma. Alternative splicing results in

multiple transcript variants.[provided by RefSeg, May 2010]



Product images:



Circular map for RC201021L4