

## Product datasheet for RC201038L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SLC25A13 (NM\_014251) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** SLC25A13 (NM\_014251) Human Tagged ORF Clone Lentiviral Particle

Symbol: SLC25A13

Synonyms: ARALAR2; CITRIN; CTLN2; NICCD

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM\_014251

 ORF Size:
 2025 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC201038).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 014251.1

 RefSeq Size:
 3204 bp

 RefSeq ORF:
 2028 bp

 Locus ID:
 10165

 UniProt ID:
 Q9UJS0

 Cytogenetics:
 7q21.3

**Domains:** mito\_carr, EFh

**Protein Families:** Druggable Genome





ORIGENE

**MW:** 74.2 kDa

**Gene Summary:** This gene is a member of the mitochondrial carrier family. The encoded protein contains four

EF-hand Ca(2+) binding motifs in the N-terminal domain, and localizes to mitochondria. The protein catalyzes the exchange of aspartate for glutamate and a proton across the inner mitochondrial membrane, and is stimulated by calcium on the external side of the inner mitochondrial membrane. Mutations in this gene result in citrullinemia, type II. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, May 2009]