

Product datasheet for RC201095L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MDH2 (NM_005918) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: MDH2 (NM_005918) Human Tagged ORF Clone Lentiviral Particle

Symbol: MDH2

Synonyms: DEE51; EIEE51; M-MDH; MDH; MGC:3559; MOR1

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_005918

ORF Size: 1014 bp

ORF Nucleotide Sequence:

The ORF insert of this clone is exactly the same as(RC201095).

OTI Disclaimer:

Domains:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 005918.2</u>

 RefSeq Size:
 2268 bp

 RefSeq ORF:
 1017 bp

 Locus ID:
 4191

 UniProt ID:
 P40926

 Cytogenetics:
 7q11.23

Protein Families: Druggable Genome

ldh





MDH2 (NM_005918) Human Tagged ORF Clone Lentiviral Particle - RC201095L1V

Protein Pathways: Citrate cycle (TCA cycle), Glyoxylate and dicarboxylate metabolism, Metabolic pathways,

Pyruvate metabolism

MW: 35.5 kDa

Gene Summary: Malate dehydrogenase catalyzes the reversible oxidation of malate to oxaloacetate, utilizing

the NAD/NADH cofactor system in the citric acid cycle. The protein encoded by this gene is localized to the mitochondria and may play pivotal roles in the malate-aspartate shuttle that operates in the metabolic coordination between cytosol and mitochondria. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep

2013]