

Product datasheet for RC201144L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Phosphoribosyl pyrophosphate amidotransferase (PPAT) (NM_002703) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Phosphoribosyl pyrophosphate amidotransferase (PPAT) (NM_002703) Human Tagged Lenti

ORF Clone

Tag: Myc-DDK

Symbol: Phosphoribosyl pyrophosphate amidotransferase

Synonyms: ATASE; GPAT; PRAT

Mammalian Cell

Selection:

None

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC201144).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM 002703





Phosphoribosyl pyrophosphate amidotransferase (PPAT) (NM_002703) Human Tagged Lenti ORF Clone - RC201144L1

ORF Size: 1551 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002703.3</u>

 RefSeq Size:
 3713 bp

 RefSeq ORF:
 1554 bp

 Locus ID:
 5471

 UniProt ID:
 Q06203

Cytogenetics: 4q12

Domains: GATase_2, Pribosyltran

Protein Families: Druggable Genome, Protease

Protein Pathways: Alanine, aspartate and glutamate metabolism, Metabolic pathways, Purine metabolism

MW: 57.4 kDa


Gene Summary: The protein encoded by this gene is a member of the purine/pyrimidine

phosphoribosyltransferase family. It is a regulatory allosteric enzyme that catalyzes the first step of de novo purine nucleotide biosythetic pathway. This gene and PAICS/AIRC gene, a bifunctional enzyme catalyzing steps six and seven of this pathway, are located in close proximity on chromosome 4, and divergently transcribed from an intergenic region.


[provided by RefSeq, Mar 2011]



Product images:



Circular map for RC201144L1



Double digestion of RC201144L1 using Sgfl and Mlul $\,$