

## **Product datasheet for RC201149L3**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### MNK1 (MKNK1) (NM\_003684) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: MNK1 (MKNK1) (NM 003684) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: MNK1

Synonyms: MNK1

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201149).

Sequence:

Sgfl-Mlul

Restriction Sites: Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_003684

ORF Size: 1395 bp





**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Cytogenetics:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 003684.3</u>

 RefSeq Size:
 2827 bp

 RefSeq ORF:
 1362 bp

 Locus ID:
 8569

 UniProt ID:
 Q9BUB5

**Domains:** pkinase, TyrKc, S\_TKc

**Protein Families:** Druggable Genome, Protein Kinase

1p33

**Protein Pathways:** Insulin signaling pathway, MAPK signaling pathway

**MW:** 51.3 kDa

**Gene Summary:** This gene encodes a Ser/Thr protein kinase that interacts with, and is activated by ERK1 and


p38 mitogen-activated protein kinases, and thus may play a role in the response to environmental stress and cytokines. This kinase may also regulate transcription by

phosphorylating eIF4E via interaction with the C-terminal region of eIF4G. Alternatively spliced

transcript variants have been noted for this gene. [provided by RefSeq, Jan 2012]



# **Product images:**



Circular map for RC201149L3