

Product datasheet for RC201151L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Integrin alpha 5 (ITGA5) (NM_002205) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Integrin alpha 5 (ITGA5) (NM_002205) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Integrin alpha 5

Synonyms: CD49e; FNRA; VLA-5; VLA5A

Puromycin

Mammalian Cell

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201151).

Sequence:

Sgfl-Mlul

Restriction Sites: Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_002205

ORF Size: 3147 bp



Integrin alpha 5 (ITGA5) (NM_002205) Human Tagged Lenti ORF Clone - RC201151L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002205.2</u>

RefSeq Size: 4267 bp
RefSeq ORF: 3150 bp
Locus ID: 3678
UniProt ID: P08648

Cytogenetics: 12q13.13

Domains: FG-GAP

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Dilated cardiomyopathy, ECM-

receptor interaction, Focal adhesion, Hematopoietic cell lineage, Hypertrophic

cardiomyopathy (HCM), Regulation of actin cytoskeleton

MW: 114.5 kDa

Gene Summary: The product of this gene belongs to the integrin alpha chain family. Integrins are


heterodimeric integral membrane proteins composed of an alpha subunit and a beta subunit

that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 5 subunit. This subunit associates with the beta 1 subunit to form a fibronectin receptor. This integrin may promote tumor invasion, and higher expression of this gene may be correlated with shorter survival time in lung cancer patients. Note that the integrin alpha 5 and integrin

alpha V subunits are encoded by distinct genes. [provided by RefSeq, Oct 2015]



Product images:



Circular map for RC201151L3