

## Product datasheet for RC201159L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **UBE2G1 (NM\_003342) Human Tagged ORF Clone Lentiviral Particle**

**Product data:** 

Product Type: Lentiviral Particles

Product Name: UBE2G1 (NM 003342) Human Tagged ORF Clone Lentiviral Particle

Symbol: UBE2G1

**Synonyms:** E217K; UBC7; UBE2G

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_003342

ORF Size: 510 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC201159).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 003342.4, NP 003333.1

 RefSeq Size:
 4208 bp

 RefSeq ORF:
 513 bp

 Locus ID:
 7326

 UniProt ID:
 P62253

 Cytogenetics:
 17p13.2

**Domains:** UBCc

**Protein Pathways:** Parkinson's disease, Ubiquitin mediated proteolysis





ORÏGENE

**MW:** 19.3 kDa

**Gene Summary:** The modification of proteins with ubiquitin is an important cellular mechanism for targeting

abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family and catalyzes the covalent attachment of ubiquitin to other proteins. The protein may be involved in degradation of muscle-specific proteins. [provided

by RefSeq, Jul 2008]