

## Product datasheet for RC201166

### NDUFB8 (NM\_005004) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** NDUFB8 (NM\_005004) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** NDUFB8  
**Synonyms:** ASHI; CI-ASHI; MC1DN32  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**ORF Nucleotide Sequence:** >RC201166 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCGGTGGCCAGGGCCGGGTCTTGGGAGTCCAGTGGCTGCAAAGGGCATCCCGAACGTGATGCCGC  
 TGGGCGCACGGACAGCCTCCCACATGACCAAGGACATGTTCCCGGGCCCTATCCTAGGACCCAGAAGA  
 ACGGGCCCGCCGCAAGAAGTATAATATGCGTGTGGAAGACTACGAACCTTACCCGGATGATGGCATG  
 GGGTATGGCGACTACCCGAAGCTCCCTGACCGCTCACAGCATGAGAGAGATCCATGGTATAGCTGGACC  
 AGCCGGGCTGAGTTGAACTGGGTGAACCGATGCACTGGCACCTAGACATGTACAACAGGAACCGTGT  
 GGATACATCCCCACACCTGTTTCTTGGCATGTATGTATGCAGCTTTCGGTTTCCTGGCTTTCATG  
 ATATTCATGTGCTGGGTGGGGACGTGTACCCTGTCTACCAGCCTGTGGGACCAAAGCAGTATCCTTACA  
 ATAATCTGTACCTGGAACGAGGCGGTGATCCCTCAAAGAACCAGAGCGGGTGGTCTACTATGAGATC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC201166 protein sequence  
 Red=Cloning site Green=Tags(s)

MAVARAGVLGVQWLQRASRNVMLGARTASHMTKDMFPGYPRTPEERAAAAKKYNMRVEDYEPYPDDGM  
 GYGDYPKLPDRSQHERDPWYSWDQPGLRLNWGEPMHWHLDMYNRRNRVDTSPVSVWHVMCMQLFGFLAFM  
 IFMCWGDVYPVYQPVGPKQYPYNNLYLERGGDPSKEPERVVHYE I

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**


**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6384\\_e03.zip](https://cdn.origene.com/chromatograms/mk6384_e03.zip)



[View online »](#)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_005004

**ORF Size:** 558 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
  2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
  3. Close the tube and incubate for 10 minutes at room temperature.
  4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
  5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	<a href="#">NM_005004.4</a>
RefSeq Size:	758 bp
RefSeq ORF:	561 bp
Locus ID:	4714
UniProt ID:	<a href="#">Q95169</a>
Cytogenetics:	10q24.31
Protein Families:	Transmembrane
Protein Pathways:	Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease
MW:	21.8 kDa
Gene Summary:	Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.[UniProtKB/Swiss-Prot Function]

**Product images:**


Circular map for RC201166



Western blot validation of overexpression lysate (Cat# [LY417577]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC201166 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).