

Product datasheet for RC201170L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TIP49A (RUVBL1) (NM_003707) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TIP49A (RUVBL1) (NM_003707) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: TIP49A

Synonyms: ECP-54; ECP54; INO80H; NMP 238; NMP238; PONTIN; Pontin52; RVB1; TIH1; TIP49; TIP49A

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is

Sequence:

The ORF insert of this clone is exactly the same as(RC201170).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_003707

ORF Size: 1368 bp





TIP49A (RUVBL1) (NM_003707) Human Tagged Lenti ORF Clone - RC201170L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003707.1</u>

RefSeq Size: 1785 bp **RefSeq ORF**: 1371 bp

Locus ID: 8607

UniProt ID: Q9Y265
Cytogenetics: 3q21.3

Domains: AAA

Protein Families: Stem cell - Pluripotency, Transcription Factors

Protein Pathways: Wnt signaling pathway

MW: 50.2 kDa

Gene Summary: This gene encodes a protein that has both DNA-dependent ATPase and DNA helicase


activities and belongs to the ATPases associated with diverse cellular activities (AAA+) protein family. The encoded protein associates with several multisubunit transcriptional complexes and with protein complexes involved in both ATP-dependent remodeling and histone

modification. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jan

2016]



Product images:



Circular map for RC201170L3