

Product datasheet for RC201206L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Sigma1 receptor (SIGMAR1) (NM_005866) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Sigma1 receptor (SIGMAR1) (NM_005866) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Sigma1 receptor

Synonyms: ALS16; DSMA2; hSigmaR1; OPRS1; SIG-1R; sigma1R; SR-BP; SR-BP1; SRBP

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC201206).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_005866

ORF Size: 669 bp



Sigma1 receptor (SIGMAR1) (NM_005866) Human Tagged Lenti ORF Clone - RC201206L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005866.2</u>

RefSeq Size: 1728 bp

RefSeq ORF: 672 bp

Locus ID: 10280

UniProt ID: Q99720

Cytogenetics:

Domains: ERG2 Sigma1R

Protein Families: Druggable Genome, GPCR, Transmembrane

9p13.3

MW: 25.1 kDa


Gene Summary: This gene encodes a receptor protein that interacts with a variety of psychotomimetic drugs,

including cocaine and amphetamines. The receptor is believed to play an important role in the cellular functions of various tissues associated with the endocrine, immune, and nervous systems. As indicated by its previous name, opioid receptor sigma 1 (OPRS1), the product of this gene was erroneously thought to function as an opioid receptor; it is now thought to be a non-opioid receptor. Mutations in this gene has been associated with juvenile amyotrophic lateral sclerosis 16. Alternative splicing of this gene results in transcript variants encoding

distinct isoforms. [provided by RefSeq, Aug 2013]



Product images:



Circular map for RC201206L4