

Product datasheet for RC201217L3

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Rockville, MD 20850, US

CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CRIP1 (NM_001311) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CRIP1 (NM_001311) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: CRIP1

Synonyms: CRHP; CRIP; CRP-1; CRP1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC201217).

Sequence:


2:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf I ORF Miu I

GGG ATC GC ATG ---//--- NNN ACG CGT ---



^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001311

ORF Size: 231 bp





CRIP1 (NM_001311) Human Tagged Lenti ORF Clone - RC201217L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

14q32.33

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001311.3</u>

 RefSeq Size:
 480 bp

 RefSeq ORF:
 234 bp

 Locus ID:
 1396

 UniProt ID:
 P50238

Domains: LIM

Cytogenetics:

MW: 8.5 kDa


Gene Summary: Cysteine-rich intestinal protein (CRIP) belongs to the LIM/double zinc finger protein family,

members of which include cysteine- and glycine-rich protein-1 (CSRP1; MIM 123876), rhombotin-1 (RBTN1; MIM 186921), rhombotin-2 (RBTN2; MIM 180385), and rhombotin-3 (RBTN3; MIM 180386). CRIP may be involved in intestinal zinc transport (Hempe and Cousins,

1991 [PubMed 1946385]).[supplied by OMIM, Mar 2008]



Product images:



Circular map for RC201217L3