

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for RC201237L4

### FKBP12 (FKBP1A) (NM\_000801) Human Tagged Lenti ORF Clone

### **Product data:**

| Product Type:                | Expression Plasmids   |
|------------------------------|---|
| Product Name:                | FKBP12 (FKBP1A) (NM_000801) Human Tagged Lenti ORF Clone                        |
| Tag:                         | mGFP  |
| Symbol:                      | FKBP12  |
| Synonyms:                    | FKBP-1A; FKBP-12; FKBP1; FKBP12; PKC12; PKCI2; PPIASE                           |
| Mammalian Cell<br>Selection: | Puromycin   |
| Vector:                      | pLenti-C-mGFP-P2A-Puro (PS100093)   |
| E. coli Selection:           | Chloramphenicol (34 ug/mL)  |
| ORF Nucleotide<br>Sequence:  | The ORF insert of this clone is exactly the same as(RC201237).                  |
| <b>Restriction Sites:</b>    | Sgfl-Mlul   |
| Cloning Scheme:              |   |
|                              | Cloning sites used for ORF Shuttling:   |
|                              | <i>Sgf I</i> ORF <i>Mlu I</i><br>[GCG ATC GC]C <mark>ATG// NNŇ</mark> [ACG CGT] |



ACCN: ORF Size: NM\_000801 324 bp



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


| <b>GRIGENE</b> FKBP12  | 2 (FKBP1A) (NM_000801) Human Tagged Lenti ORF Clone – RC201237L4   |
|------------------------|--|
| OTI Disclaimer:        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>  |
| OTI Annotation:        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method: | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| RefSeq:                | <u>NM 000801.2</u>   |
| RefSeq Size:           | 1643 bp  |
| RefSeq ORF:            | 327 bp   |
| Locus ID:              | 2280   |
| UniProt ID:            | <u>P62942</u>  |
| Cytogenetics:          | 20p13  |
| Domains:               | FKBP   |
| Protein Families:      | Druggable Genome   |
| MW:                    | 12 kDa   |
| Gene Summary:          | The protein encoded by this gene is a member of the immunophilin protein family, which play<br>a role in immunoregulation and basic cellular processes involving protein folding and<br>trafficking. The protein is a cis-trans prolyl isomerase that binds the immunosuppressants<br>FK506 and rapamycin. It interacts with several intracellular signal transduction proteins<br>including type I TGF-beta receptor. It also interacts with multiple intracellular calcium release<br>channels, and coordinates multi-protein complex formation of the tetrameric skeletal muscle<br>ryanodine receptor. In mouse, deletion of this homologous gene causes congenital heart<br>disorder known as noncompaction of left ventricular myocardium. Multiple alternatively<br>spliced variants, encoding the same protein, have been identified. The human genome |

contains five pseudogenes related to this gene, at least one of which is transcribed. [provided


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

by RefSeq, Sep 2008]

## **Product images:**



Circular map for RC201237L4



Double digestion of RC201237L4 using Sgfl and Mlul

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US